



## Heavy Duty Thimble Type POWERTEX PTK2

### Product information

This forged heavy-duty thimble is intended for heavy duty lifting steel wire rope slings and end terminations.  
Wire rope size 8 – 51 mm.

**Material:** Forged Steel

**Marking:** PX (Powertex), Recommended rope diameter, K2 (model)

**Finish:** Hot dip galvanized

| Part Code    | Code           | Rope Ø range | A<br>mm | B<br>mm | C<br>mm | D<br>mm | E<br>mm | F<br>mm | S<br>mm | t<br>mm | Weight<br>kg |
|--------------|----------------|--------------|---------|---------|---------|---------|---------|---------|---------|---------|--------------|
| 123100800480 | PTK2-8 (2")    | 8            | 51      | 42      | 35      | 22      | 9       | 14      | 4       | 11      | 0.07         |
| 123101000480 | PTK2-10 (2,5") | 10           | 64      | 50      | 45      | 30      | 11      | 16      | 4       | 13      | 0.08         |
| 123101200480 | PTK2-12 (3")   | 12           | 76      | 59      | 55      | 35      | 13      | 18      | 5.5     | 13.5    | 0.15         |
| 123101300480 | PTK2-13 (3,5") | 13           | 89      | 73      | 65      | 45      | 15      | 20      | 6.2     | 15.6    | 0.23         |
| 123101500480 | PTK2-15 (4")   | 15           | 102     | 75      | 75      | 50      | 17      | 22      | 7       | 19      | 0.25         |
| 123101700480 | PTK2-17 (4,5") | 17           | 115     | 85      | 85      | 53      | 19      | 25      | 8       | 19.5    | 0.39         |
| 123101900480 | PTK2-19 (5")   | 19           | 127     | 100     | 90      | 60      | 21      | 29      | 10      | 20.7    | 0.63         |
| 123102100480 | PTK2-21 (5,5") | 21           | 140     | 110     | 105     | 65      | 23      | 32      | 10.3    | 22      | 0.8          |
| 123102300480 | PTK2-23 (6")   | 23           | 152     | 115     | 114     | 70      | 25      | 34      | 10.5    | 24.5    | 0.98         |
| 123102700480 | PTK2-27 (7")   | 27           | 178     | 135     | 135     | 80      | 30      | 38      | 12      | 29      | 1.45         |
| 123103000480 | PTK2-30 (8")   | 30           | 203     | 155     | 160     | 100     | 33      | 43      | 12      | 29      | 1.68         |
| 123103400480 | PTK2-34 (9")   | 34           | 229     | 175     | 185     | 115     | 38      | 47      | 13      | 31      | 2.52         |
| 123103700480 | PTK2-37 (10")  | 37           | 254     | 190     | 195     | 120     | 41      | 52      | 12.8    | 35      | 3.32         |
| 123104200480 | PTK2-42 (11")  | 42           | 280     | 210     | 215     | 130     | 46      | 60      | 15      | 43      | 6.1          |
| 123104700480 | PTK2-47 (12")  | 47           | 305     | 225     | 240     | 140     | 52      | 65      | 20      | 51      | 8.1          |
| 123105100480 | PTK2-51 (14")  | 51           | 356     | 240     | 250     | 150     | 56      | 72      | 25      | 59      | 9.7          |

# Blueprint

